Dam Safety Inspection Checklist

Complete All Portions of This Section	(Pre-inspection)		
Date of Inspection:			
Name of Dam:		File Number:	
EAP: (yes, no) OM&I: (yes, no))		
Review Inventory - Highlight missing	information (Pre	-inspection)	
Owner=s Name(s):			
Address:			
City:	State:	Zip (+4):	
Telephone (Home):		Telephone (Work):	
Contact Person:			
Designed By:		_	
Constructed By:			
Year Completed:		able (Yes, No) (location):	
Purpose of dam:			
<u>Interview with Owner (at the site):</u>			
Owner/Representative present: (Yes, N	No) Name(s):		
Double check address, telephone #, pu	ırpose (check ->)	G	
How long have you owned dam - prev	vious name/owner	?	
EAP/OM&I: up-dated-(yes, no) & located-	ation:		
Operate lake drain (times per year, acc			
Mowing (times per year):			
Prior problems (wet areas, erosion, slie			
Repair or modification (what & when)):		
Failure/Incident/Breach (max. pool):_			
Downstream hazard status (recent char	nges):		
Do you know the in-depth details of the Field Information Section) Core trench material and location: Volume of fill (earth or rock) in dam:			
• • • • • • • • • • • • • • • • • • • •			
Foundation (earth or rock) of dam:			
Field Information (while at site)			
Pool Elevation (during inspection):		Time:	(a.m. p.m.)
Site Conditions(temp., weather, groun	d moisture):		
Inspection Party:			
Maximum Height:	(measured or	inventory appears correct)	
Normal Pool Surface Area:		inventory appears correct)	

TREAM SLOPE Gradient: Horizontal: Vertical: (est, meas.) GETATION [no problem]	None Monitor Maintenance
☐ Trees: Quantity: (<5, sparse, dense)	
Diameter: (<6", 6-12", >12")	
Location: (adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes:	
□ Brush: Quantity: (sparse, dense)	
Location:(adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes:	
☐ Ground Cover: Type: (grass, crown vetch) Other:	
Quantity: (bare, sparse, adequate, dense) Appearance: (too tall, too short, good)	
Notes:	
DPE PROTECTION [no problem, could not inspect thoroughly]	
□ None	
□ Riprap: Average Diameter:	
(adequate, sparse, displaced, weathered, vegetation) (bedding/fabric noted - yes, no) Notes:	
□ Wave Berm:	
Vegetation: (adequate, bare, sparse, improper vegetation) Notes:	
□ Concrete Slabs: (cracked, settlement, undermined, voids, deteriorated, vegetation) Notes:	
□ Other:	
Notes:	
OSION [no problem, could not inspect thoroughly]	
□ Wave Erosion (Beaching): Scarp: Length: Height:	
Location: (adj. to structure, entire slope, It end, rt end, middle, see dwg) Notes:	
□ Runoff Erosion (Gullies): Quantity:	
Depth: Width: Length:	
Location: (adj. to structure, entire slope, It end, rt end, middle, see dwg) Notes/Causes:	
TABILITIES [no problem, could not inspect thoroughly]	
☐ Slides: Transverse Length: Longitudinal Length: Scarp: Width: Length:	
Location: (adj. to structure, entire slope, It end, rt end, middle, see dwg)	
Crack: Width: Depth:	
Notes/Causes:	
□ Cracks: □ Transverse □ Longitudinal □ Other	
Quantity: Length: Width: Depth:	
Location: (adj. to structure, entire slope, It end, rt end, middle, see dwg) Notes/Causes:	
INUIES/Causes	None Monitor Maintenance
{Upstream Slope, Crest, Downstream Slope, Seepage, Principal Spillway, Emergency Spillway, Lake Drain}	Requ Acti

		None Monitor Maintenance Engineer
[☐ Cracks: ☐ Transverse ☐ Longitudinal ☐ Other Quantity: ☐ Length: ☐ Width: ☐ Depth: ☐ Location: (adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes/Causes: ☐	
[Bulges Depressions Hummocky Size: Height: Depth: Location: (adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes/Causes:	
[Bulges Depressions Hummocky Size: Height: Depth: Location: (adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes/Causes:	
	[R [no problem, could not inspect thoroughly] □ Rodent Burrows: (few, numerous) Location: (adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes:	
[Ruts: Location: (adj. to structure, entire slope, lt end, rt end, middle, see dwg) Depth: Width: Length: Notes/Causes: (truck/auto, motorcycle, ATV, animals, pedestrian):	
[□ Other: Notes:	
CREST	Length:Width:(est, meas.)	
	TATION [no problem] □ Trees: Quantity: (<5, sparse, dense) Diameter: (<6", 6-12", >12") Location: (adj. to structure, entire crest, It end, rt end, middle, see dwg) Notes:	
[□ Brush: Quantity: (sparse, dense) Location: (adj. to structure, entire crest, It end, rt end, middle, see dwg) Notes:	
]	☐ Ground Cover: Type: (grass, crown vetch) Other: Quantity: (bare, sparse, adequate, dense) Appearance: (too tall, too short, good) Notes:	
	FION [no problem, could not inspect thoroughly] □ Runoff Erosion (Gullies): Quantity: Depth: Width: Length: Location: (adj. to structure, entire crest, It end, rt end, middle, see dwg) Notes/Causes:	None
	{Upstream Slope, Crest, Downstream Slope, Seepage, Principal Spillway, Emergency Spillway, Lake Drain}	None Monito Mainte Engine Action

□ <i>ALIGNMENT</i> [no problem, could not inspect thoroughly]	None Monitor Maintenance Engineer
□ Vertical: □ Low Area: Location: (adj. to structure, entire crest, It end, rt end, middle, see dwg) Elevation Difference: Notes/Causes:	
□ Horizontal: Notes/Causes:	
□ WIDTH [no problem] □ Too Narrow Location: (adj. to structure, entire crest, lt end, rt end, middle, see dwg) Notes/Causes:	
□ INSTABILITIES [no problem, could not inspect thoroughly] □ Cracks: □ Transverse □ Longitudinal □ Other	
□ Cracks: □ Transverse □ Longitudinal □ Other Quantity: Length: Width: Depth: Location: (adj. to structure, entire crest, It end, rt end, middle, see dwg) Notes/Causes:	
□ Bulges □ Depressions □ Hummocky Size: Height: Depth: Location: (adj. to structure, entire crest, It end, rt end, middle, see dwg) Notes/Causes:	
□ Bulges □ Depressions □ Hummocky Size: Height: Depth: Location: (adj. to structure, entire crest, lt end, rt end, middle, see dwg) Notes/Causes:	
□ OTHER [no problem, could not inspect thoroughly] □ Rodent Burrows: (few, numerous) Location: (adj. to structure, entire crest, It end, rt end, middle, see dwg) Notes:	
□ Ruts: Location: (adj. to structure, entire crest, It end, rt end, middle, see dwg) Depth: Width: Length: Length: Notes/Causes: (truck/auto, motorcycle, ATV, animals, pedestrian):	
□ Other:	
Notes:	None Monitor Maintenance Engineer
	Required Action

	Required Action
DOWNSTREAM SLOPE Gradient: Horizontal: Vertical: (est, meas.)	None Monitor Maintenance Engineer
□ VEGETATION [no problem] □ Trees: Quantity: (<5, sparse, dense)	None Monitc
Diameter: (<6", 6-12", >12") Location: (adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes:	
□ Brush: Quantity: (sparse, dense) Location:(adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes:	
☐ Ground Cover: Type: (grass, crown vetch) Other: Quantity: (bare, sparse, adequate, dense) Appearance: (too tall, too short, good) Notes:	
□ EROSION [no problem, could not inspect thoroughly] □ Runoff Erosion (Gullies): Quantity: Depth: Width: Length: Location: (adj. to structure, entire slope, It end, rt end, middle, see dwg) Notes/Causes:	
□ INSTABILITIES [no problem, could not inspect thoroughly] □ Slides: Transverse Length: Longitudinal Length: Scarp: Width: Length: Location: (adj. to structure, entire slope, It end, rt end, middle, see dwg) Crack: Width: Depth: Notes/Causes:	
□ Cracks: □ Transverse □ Longitudinal □ Other Quantity: Length: Width: Depth: Location: (adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes/Causes:	
□ Cracks: □ Transverse □ Longitudinal □ Other Quantity: Length: Width: Depth: Location: (adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes/Causes:	
□ Bulges □ Depressions □ Hummocky Size: Height: Depth: Location: (adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes/Causes:	
☐ Bulges ☐ Depressions ☐ Hummocky Size: Height: Depth:	
Location: (adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes/Causes:	None Monitor Maintenance Engineer

Action

	None Monitor Maintenance Engineer
□ OTHER [no problem, could not inspect thoroughly] □ Rodent Burrows: (few, numerous) Location: (adj. to structure, entire slope, lt end, rt end, middle, see dwg) Notes:	None Monitor Mainten
□ Ruts: Location: (adj. to structure, entire slope, It end, rt end, middle, see dwg) Depth: Width: Length: Notes/Causes: (truck/auto, motorcycle, ATV, animals, pedestrian):	
□ Other: Notes:	
□ SEEPAGE [no problem, could not inspect thoroughly] □ Wet Area □ Flow □ Boil □ Sinkhole Flow Rate	
Notes/Causes: Wet Area	
□ EMBANKMENT DRAINS [none, none found, no problem, could not inspect thoroughly] Type: □ Toe Drain □ Relief Wells □ Other: Flow Rate: Size: Number: Location: Notes:	
□ MONITORING INSTRUMENTATION [none, none found, no problem, could not inspect thoroughly] □ None Found □ Piezometers □ Weirs/Flumes □ Other □ Periodic Inspections by: Notes:	None Monitor Maintenance Action

Required Maintenance PRINCIPAL SPILLWAY ☐ **GENERAL INLET** [no problem, could not inspect thoroughly] ☐ Anti-Vortex Plate [None] Dimensions:_ (adequate, too small,) Type: (steel, concrete, aluminum, stainless steel, corrugated metal wood, other): Deterioration: (missing sections, rusted, collapsed) Notes: ☐ Flash Boards [None] Type: (metal, wood):_ Deterioration: Notes: □ Trashrack [None] Opening Size: (adequate, too small, too large) Type: (metal bars, fence, screen, concrete, baffle, other):_ Deterioration: (broken bars, missing sections, rusted, collapsed) Notes: ☐ **INLET OBSTRUCTION** [no problem, could not inspect thoroughly] ☐ Debris: (leaves, trash, logs, branches, ice) ☐ Trees: Quantity: (<5, sparse, dense) Diameter: (<6", 6-12", >12") Location: (entire inlet, It side, rt side, middle, see dwg) Notes: ☐ Brush: Quantity: (sparse, dense) Location: (entire inlet, It side, rt side, middle, see dwg) Notes: ☐ Other:(beaver activity, trashrack opening too small, partially/completely blocked, i.e.) Notes: ☐ **INLET MATERIALS** [no problem, could not inspect thoroughly] □ Metal (loss of coating/paint, surface rust, corrosion (pitting, scaling), rusted out, pipe deformation) Dimensions: Location: Notes/Causes: □ Concrete (bug holes, hairline crack, efflorescence) (spalling, popouts, honeycombing, scaling, craze/map cracks) (isolated crack, exposed rebar, disintegration, other) Dimensions/Location:___ Notes/Causes: (bug holes, hairline crack, efflorescence) (spalling, popouts, honeycombing, scaling, craze/map cracks)

	Required Action
	None Monitor Maintenance Engineer
□ Earthen	None Monitor Mainten: Enginee
☐ Ground Cover: Type: (grass, crown vetch) Other:	
Quantity: (bare, sparse, adequate, dense)	
Appearance: (too tall, too short, good) Notes:	
☐ Erosion: (wave, surface runoff) Description (height/depth/length/etc):	
Notes:	
□ Ruts:	
Location: (entire inlet, It side, rt side, middle, see dwg)	
Depth: Width: Length:	
Notes/Causes: (truck/auto, motorcycle, ATV, animals, pedestrian):	
☐ Riprap: Average Diameter:	
(adequate, sparse, displaced, weathered, vegetation) (bedding/fabric noted - yes, no)	
Notes:	
□ Rock-Cut (weathered, erosion)	
Description:	
Notes:	
□ Other:	
☐ Mis-Alignment:(pipe, chute, sidewall, headwall) ☐ Pipe Deformation	
☐ Separated Joint ☐ Loss of Joint Material Location/Description: Notes/Causes:	
☐ Undermining:	
Location/Description:	
Notes/Causes:	
□ Other:	
□ OPEN CHANNEL CONTROL SECTION [no problem, could not inspect] Width (est., ms.) Brdth (est., ms.)	
Notes:	
□ OUTLET OBSTRUCTION [no problem, could not inspect thoroughly]	
□ Debris: (leaves, trash, logs, branches, ice) □ Trees: Quantity: (<5, sparse, dense)	
Diameter: (<6", 6-12", >12")	
Location: (46, 612, 712) Location: (entire outlet, It side, rt side, middle, see dwg)	
Notes:	
□ Brush: Quantity: (sparse, dense)	
Location:(entire outlet, It side, rt side, middle, see dwg)	
Notes:	Required Action
☐ Other:(beaver activity, partially/completely blocked, i.e.)	
Notes:	e itor itena neer
{Upstream Slope, Crest, Downstream Slope, Seepage, Principal Spillway-Inlet/Outlet, Emergency Spillway, Lake Drain}	Jon, Jon Jain Jain

	Required Action
UTLET MATERIALS [no problem, could not inspect thoroughly]	None Monitor Maintenanc Engineer
☐ Metal (loss of coating/paint, surface rust, corrosion (pitting, scaling), rusted out, pipe deformation)	None Monitor Mainten: Enginee
Dimensions:	Z ≥ ≥ W
Location: Notes/Causes:	
Notes/ Gauses.	
□ Concrete	
(bug holes, hairline crack, efflorescence)	
(spalling, popouts, honeycombing, scaling, craze/map cracks) (isolated crack, exposed rebar, disintegration, other)	
Dimensions/Location:	
Notes/Causes:	
(
(bug holes, hairline crack, efflorescence)	
(spalling, popouts, honeycombing, scaling, craze/map cracks) (isolated crack, exposed rebar, disintegration, other)	
Dimensions/Location:	
Notes/Causes:	
□ Plastic (deterioration, cracking, deformation)	
Dimensions:	
Location:Notes/Causes:	
□ Earthen	
Ground Cover: Type: (grass, crown vetch) Other:	
Quantity: (bare, sparse, adequate, dense) Appearance: (too tall, too short, good)	
Notes:	
☐ Erosion: (other, surface runoff)	
Description (width/depth/length/etc):	
Notes:	
□ Ruts:	
Location: (entire inlet, It side, rt side, middle, see dwg)	
Depth: Width: Length:	
Notes/Causes: (truck/auto, motorcycle, ATV, animals, pedestrian):	
□ Riprap: Average Diameter:	
(adequate, sparse, displaced, weathered, vegetation) (bedding/fabric noted - yes, no)	
Notes:	
□ Rock-Cut (weathered, erosion)	
Description/Notes:	
□ Other:	
HER OUTLET PROBLEMS [no problem, could not inspect thoroughly]	
☐ Mis-Alignment:(pipe, chute, sidewall, headwall) ☐ Pipe Deformation	
Notes/Causes:	r nan
	□ None □ □ Maintenance □ Engineer □
□ Separated Joint □ Loss of Joint Material	No N
Location/Description:	
Notes/Causes:	
□ Undermining:	
Location/Description:	
Notes/Causes:	
Upstream Slope, Crest, Downstream Slope, Seepage, Principal Spillway-Outlet , Emergency Spillway, Lake Drain	
Opsucani Siope, Ciest, Downsucani Siope, Seepage, Frincipal Spinway-Outlet, Emergency Spinway, Lake Drain	Action

			Action
			None Monitor Maintenance
LET EROSION CONTROI	STRUCTURE (Stilling R	acine)	None Monitor Maintena
□ None		asins)	
☐ (endwall/headwall, plunge pool, im	pact basin, flip bucket, USBR, baffle	ed chute, rock lined channel)	
A.I. d	·	•	_
Components (baffle blocks, ch	nute blocks, endsill)		-
ERIAL [no problem, could not inspe			
☐ Riprap: Average Diameter: (adequate,			
displaced, weathered, vegetation) (bedonuted Notes:	ling/fabric noted - yes, no)		
□ Concrete			
(bug holes, hairline crack, efflore	escence)		
(spalling, popouts, honeycombin	g, scaling, craze/map cracks)		
(isolated crack, exposed rebar, o			
Dimensions/Location:_ Notes/Causes:			_
			-
(bug holes, hairline crack, efflore	,		
(spalling, popouts, honeycombin (isolated crack, exposed rebar, o			
Notes/Causes:			-
			-
IER [no problem, could not inspect the	oroughlyl		
☐ Mis-Alignment:(sidewall, head			
Location:	<u> </u>		_
			_
Notes/Causes:			-
□ Separated Joint □ Los	ss of Joint Material		
Location:			
Description:			-
Notes/Causes:			-
☐ Undermining:			
1			
Description:			
Notes/Causes:			-
□ Other:			
AINC		OFFRACE Oration for Too During O Deliaf Walle	_
		ee SEEPAGE Section for Toe Drains & Relief Wells ☐ Other:	
Flow Rate:	Size:	☐ Other: Number:	_ .
Location:			_
			-
Type: \(\Pi \) Waan Halaa	□ Poliof Droins	□ Other:	-
Type: ☐ Weep Holes	⊔ Kellei Drains	□ Otner: Number:	
Location:			E _
Notes:			None Monitor Maintenance Engineer
. 10100			lone Ioni Iaini ngir
			- Ž∑∑ ⊡ - Required
			Action
eam Slope, Crest, Downstream Slope, Seep	age, Principal Spillway-Outlet Er	osion Control Structure, Emergency Spillway, Lake Drain}	

Required

EMERGENCY SPILLWAY □ None Found ☐ **GENERAL INLET** [no problem, could not inspect thoroughly] ☐ Anti-Vortex Plate [None] Dimensions: (adequate, too small,) Type: (steel, concrete, aluminum, stainless steel, corrugated metal wood, other): Deterioration: (missing sections, rusted, collapsed) Notes: ☐ Flash Boards [None] Type: (metal, wood):_ Deterioration: Notes: ☐ Trashrack [None] Opening Size: (adequate, too small, too large) Type: (metal bars, fence, screen, concrete, baffle, other):_ Deterioration: (broken bars, missing sections, rusted, collapsed) Notes: ☐ **INLET OBSTRUCTION** [no problem, could not inspect thoroughly] ☐ Debris: (leaves, trash, logs, branches, ice) ☐ Trees: Quantity: (<5, sparse, dense)_ Diameter: (<6", 6-12", >12") Location: (entire inlet, It side, rt side, middle, see dwg) Notes: ☐ Brush: Quantity: (sparse, dense) Location: (entire inlet, It side, rt side, middle, see dwg) ☐ Other:(beaver activity, trashrack opening too small, partially/completely blocked, i.e.) Notes: ☐ **INLET MATERIALS** [no problem, could not inspect thoroughly] (loss of coating/paint, surface rust, corrosion (pitting, scaling), rusted out, pipe deformation)_____ _ _ _ _ Dimensions/Location: Notes/Causes: ☐ Concrete (bug holes, hairline crack, efflorescence) (spalling, popouts, honeycombing, scaling, craze/map cracks) (isolated crack, exposed rebar, disintegration, other) Dimensions/Location: Notes/Causes: (bug holes, hairline crack, efflorescence) (spalling, popouts, honeycombing, scaling, craze/map cracks) (isolated crack, exposed rebar, disintegration, other) Dimensions/Location: Notes/Causes: □ Plastic (deterioration, cracking, deformation)_ Dimensions/Location: Notes/Causes:

{Upstream Slope, Crest, Downstream Slope, Seepage, Principal Spillway, Emergency Spillway-Inlet, Lake Drain}

Required Action

Action

	Required Action
	None Monitor Maintenance Engineer
□ Earthen	None Monitor Mainten: Enginee
☐ Ground Cover: Type: (grass, crown vetch) Other:	
Quantity: (bare, sparse, adequate, dense)	
Appearance: (too tall, too short, good) Notes:	
☐ Erosion: (wave, surface runoff)	
Description (height/depth/length/etc):	
Notes:	
□ Dute.	
☐ Ruts: Location: (entire inlet, It side, rt side, middle, see dwg)	
Depth: Width: Length:	
Notes/Causes: (truck/auto, motorcycle, ATV, animals, pedestrian)	
E B'anna A anna B'annata	
 ☐ Riprap: Average Diameter: (adequate, sparse, displaced, weathered, vegetation) (bedding/fabric noted - yes, no) 	
Notes:	
□ Rock-Cut (weathered, erosion)	
Description:	
Notes:	
□ Othor:	
□ Other:	
☐ Mis-Alignment:(channel, chute, sidewall, headwall) ☐ Pipe Deformation	
□ Separated Joint □ Loss of Joint Material	
Location/Description:	
Notes/Causes:	
☐ Undermining:	
Location/Description:	
Notes/Causes:	
□ Other:	
□ OPEN CHANNEL CONTROL SECTION [no problem, could not inspect] Width(est., ms.) Brdth(est., ms.)	
Notes:	
□ OUTLET OBSTRUCTION [no problem, could not inspect thoroughly]	
□ Debris: (leaves, trash, logs, branches, ice)	
☐ Trees: Quantity: (<5, sparse, dense)	
Diameter: (<6", 6-12", >12")	
Location: (entire outlet, It side, rt side, middle, see dwg) Notes:	
□ Brush: Quantity: (sparse, dense)	
Location:(entire outlet, It side, rt side, middle, see dwg)	
Notes:	Required Action
☐ Other:(beaver activity, partially/completely blocked, i.e.)	
Notes:	
	None Monitor Maintenance Engineer
{Upstream Slope, Crest, Downstream Slope, Seepage, Principal Spillway, Emergency Spillway-Inlet/Outlet , Lake Drain}	None Monitor Maintena Engineer

	Required Action
UTLET MATERIALS [no problem, could not inspect thoroughly] ☐ Metal (loss of coating/paint, surface rust, corrosion (pitting, scaling), rusted out, pipe deformation)	None Monitor Maint.
Dimensions:Location:	
Notes/Causes:	
□ Concrete (bug holes, hairline crack, efflorescence)	
(spalling, popouts, honeycombing, scaling, craze/map cracks) (isolated crack, exposed rebar, disintegration, other)	
Dimensions/Location:	
Notes/Causes:	
(bug holes, hairline crack, efflorescence)	
(spalling, popouts, honeycombing, scaling, craze/map cracks)	
(isolated crack, exposed rebar, disintegration, other)	
Dimensions/Location:	
Notes/Causes:	
□ Plastic (deterioration, cracking, deformation)	
Dimensions:	
Location:	
Notes/Causes:	
□ Earthen	
☐ Ground Cover: Type: (grass, crown vetch) Other:	
Quantity: (bare, sparse, adequate, dense)	
Appearance: (too tall, too short, good)	
Notes:	
□ Erosion: (other, surface runoff)	
Description (width/depth/length/etc):	
Notes:	
□ Ruts:	
— · · · · · · ·	
Location: (entire inlet, It side, rt side, middle, see dwg) Depth: Width: Length:	
Notes/Causes: (truck/auto, motorcycle, ATV, animals, pedestrian)	
Diagram Average Diagratics	
☐ Riprap: Average Diameter: (adequate, sparse, displaced, weathered, vegetation) (bedding/fabric noted - yes, no)	
(adequate, sparse, displaced, weathered, vegetation) (bedding/labric noted - yes, no) Notes:	
□ Rock-Cut (weathered, erosion)	
Description:	
Notes:	
□ Other:	
- Other -	
THER OUT ET BRODI EMS for analysis and got increase the group had	
HER OUTLET PROBLEMS [no problem, could not inspect thoroughly] ☐ Mis-Alignment:(channel, chute, sidewall, headwall) ☐ Pipe Deformation	
Location/Description:	
Notes/Causes:	□None □Monitor □Maintenance □miner
110100/ 0440001	ne nito inte
□ Separated Joint □ Loss of Joint Material	Mo Ma
Location/Description:	
Notes/Causes:	
□ Undermining:	
Location/Description:	
Notes/Causes:	
□ Other:	
{Upstream Slope, Crest, Downstream Slope, Seepage, Principal Spillway, Emergency Spillway-Outlet , Lake Drain}	Required
The state of the s	Action

None
-
- - П П
-
<u>.</u>
-
-
-
_ 🗆 🗆
-
. – –
None Bed
N N
Requ

Required

 $\{Upstream\ Slope,\ Crest,\ Downstream\ Slope,\ Seepage,\ Principal\ Spillway,\ \textbf{Emergency\ Spillway-Outlet\ Erosion\ Control\ Structure},\ Lake\ Drain\}$

LAKE DRAIN ☐ GENERAL □ None Found □ Does not have one ☐ Type of Lake Drain (isolated control/intake tower, valve vault w/ outlet conduit, valve in riser/drop inlet, siphon) Notes: ☐ Operated During Inspection (yes, no)_ Notes: □ ACCESS TO VALVE/SLUICE GATE [no problem, could not inspect thoroughly] ☐ Type (not accessible, from shore, boat, walkway, other)_ Notes: □ Walkway/Platform: □ Concrete Deterioration □ Cracks (platform, piers, end supports, railing) Location: Notes: □ Wood Deterioration Notes: □ Metal Deterioration (minor, moderate, extensive, other)_ Notes: □ LAKE DRAIN COMPONENTS [no problem, could not inspect thoroughly] ☐ Concrete Structure Location: Description: (deterioration, misalignment, cracks): Notes/Causes: □ Valve Control (Operating Device) □ No Operating Device □ No Stem ☐ Bent/Broken Stem □ Other Notes/Operability: ☐ Valve / Sluice Gate ☐ Metal Deterioration: (surface rust, minor, moderate, extensive, other)_ Location: Flow Rate: Notes/Causes: ☐ Misalignment Notes/Causes: □ Leakage - Flow Rate:_ Notes/Causes: □ Valve / Sluice Gate ☐ Metal Deterioration: (surface rust, minor, moderate, extensive, other)____ Location: Flow Rate: Notes/Causes: ☐ Misalignment - Notes/Causes:_ Required **Action** ☐ Leakage - Flow Rate: Notes/Causes: {Upstream Slope, Crest, Downstream Slope, Seepage, Principal Spillway, Emergency Spillway, Lake Drain}

	None Monitor Maintenancetranger
☐ Metal:(loss of coating/paint, surface rust, corrosion (pitting, scaling), rusted out)	
Location:Notes/Causes:	
☐ Concrete (bug holes, hairline crack, efflorescence)	
(spalling, popouts, honeycombing, scaling, craze/map cracks)	
(isolated crack, exposed rebar, disintegration, other) Dimensions/Location:	
Notes/Causes:	
□ Plastic:(deterioration, cracking)	
Location:	
Notes/Causes:	
☐ Conduit Deformation ☐ Mis-Alignment:	
Location:	
Notes/Causes:	
□ Separated Joint □ Loss of Joint Material	
Location/Description:	
Notes/Causes:	
□ Undermining:	
Location/Description:	
Notes/Causes:	
□ Vegetation (trees, brush)	
Notes:	
☐ Other:Notes:	
1000.	
□ Energy Dissipator	
☐ Type (endwall, plunge pool, impact basin, stilling basin, rock-lined channel, none) Notes:	
☐ Riprap: Average Diameter:	
Notes:	
☐ Concrete (bug holes, hairline crack, efflorescence) (spalling, popouts, honeycombing, scaling, craze/map cracks)	
(isolated crack, exposed rebar, disintegration, other)	
Dimensions/Location:	
Notes/Causes:	
☐ Mis-Alignment:	
Location/Description:	
Notes/Causes:	
☐ Separated Joint ☐ Loss of Joint Material	
Location/Description:	
Notes/Causes:	
☐ Undermining:	
Location/Description:	
Notes/Causes:	Required Action
□ Other:	
Notes:	None Monitor Emgineer
{Upstream Slope, Crest, Downstream Slope, Seepage, Principal Spillway, Emergency Spillway, Lake Drain}	nne unito unite gine
	E Ä K